9X 2

	Application No.	lication No. Applicant(s)		
Notice of Allowability	09/929,400	400 SAMRA ET AL		
	Examiner	Art Unit		
	Po-Wei (Dennis) Chen	2676		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>August 23, 2004.</u>				
2. X The allowed claim(s) is/are 1,17-18 and 24-37.				
3.   The drawings filed on 13 August 2001 are accepted by the Examiner.				
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>				
2. Certified copies of the priority documents have been received in Application No.				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:		÷	•	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.				
(a) $\square$ including changes required by the Notice of Draftsper	son's Patent Drawing Review (	PTO-948) attached	,	
1)  hereto or 2)  to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)	E FINISH SEE		DTO 152)	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		ormal Patent Application (PTO-152)		
2.   Notice of Draitherson's Patent Drawing Review (P10-946)	Paper No./Ma	6. Interview Summary (PTO-413), Paper No./Mail Date		
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/ Paper No./Mail Date</li> </ol>	08), 7. ⊠ Examiner's An	. ☑ Examiner's Amendment/Comment		
4.   Examiner's Comment Regarding Requirement for Deposit	•	atement of Reasons for	Allowance	
of Biological Material	9. 🗌 Other	,	X.	
		· · · · · · · · · · · · · · · · · · ·	•	

Claims 1, 17-18 and 24-37 are pending in this application. Claims 1, 36 and 37 are independent

claims.

The present title of the invention is "Media Production System Using Flowgraph Representation

of Operations".

**EXAMINER'S AMENDMENT** 

The application has been amended as follows:

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Charles Kulas on November 23, 2004.

The application has been amended as follows:

Claim 16 is canceled.

Claim 17:

The method of claim 1[[16]], wherein the visual indicators [[graph]] include[[s]] a

flowgraph.

Claim 18:

The method of claim 17[[16]], wherein the flowgraph includes nodes that correspond to

operations, wherein the nodes are connected by connectors to show the order of execution of

operations.

Application/Control Number: 09/929,400

Art Unit: 2676

Page 3

## Allowable Subject Matter

- 2. Claims 1, 17-18 and 24-37 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

Prior art references do not anticipate or suggest the limitation "displaying multiple expanded visual indicators in association with the first visual indicator, wherein the multiple expanded visual indicators correspond to the multiple sub-operations" in combination with the other claim limitations in claims 1, 36 and 37.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Po-Wei (Dennis) Chen whose telephone number is (703) 305-8365. The examiner can normally be reached on Monday-Thursday from 8:30 AM to 7:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew C Bella can be reached on (703) 308-6829. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Po-Wei (Dennis) Chen Examiner Art Unit 2676 Application/Control Number: 09/929,400

Art Unit: 2676

Po-Wei (Dennis) Chen November 24, 2004

Market C. Bella

Page 4

MATTHEW C. BELLA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600